

web.php

```
$params    = require __DIR__ . '/params.php';
$db        = require __DIR__ . '/db.php';
$dbzpb    = require __DIR__ . '/dbzp.php';
$dbpg     = require __DIR__ . '/dbpg.php';
$dbpgx    = require __DIR__ . '/dbpgx.php';
$dbbeau   = require __DIR__ . '/dbbeau.php';
$dbpggis  = require __DIR__ . '/dbpggis.php';
$dboracle = require __DIR__ . '/dboracle.php';

$config = [
    'id' => 'zp4basic',
    'name' => 'Zusatzprogramme (ZP4)',
    'basePath' => dirname(__DIR__),
    'bootstrap' => ['log'],
    'language' => 'de-DE',
    'modules' => require(__DIR__ . '/modules.php'),
    'aliases' => [
        '@bower' => '@vendor/bower-asset',
        '@npm'    => '@vendor/npm-asset',
    ],
    'components' => [
        'request' => [
            // !!! insert a secret key in the following (if it is empty) -
            // this is required by cookie validation
            'cookieValidationKey' => '99v2C19iNBxL0QK3403EC28XUAQQUDIT',
            'parsers' => [
                'application/json' => 'yii\web\JsonParser',
            ],
        ],
        'cache' => [
            'class' => 'yii\caching\FileCache',
        ],
        'user' => [
            'identityClass' => 'app\models\User',
            'enableAutoLogin' => true,
            'identityCookie' => [
                'name' => '_idzp4dev',
            ],
        ],
        'session' => [
            // this is the name of the session cookie used for login on the
            backend
            'name' => 'zp4dev',
        ],
        'errorHandler' => [
            'errorAction' => 'site/error',
        ],
    ],
];
```

```
'mailer' => [
    'class' => \yii\symfonymailer\Mailer::class,
    'viewPath' => '@app/mail',
    // send all mails to a file by default.
    'useFileTransport' => false,
    'transport' => [
        'scheme' => 'smtp',
        'host' => 'mail.lwk-rlp.de',
        'username' => 'weinbauzp',
        'password' => '#####',
        'port' => 587,
        //'dsn' => 'native://default',
        'options' => [
            'verify_peer' => 0,
        ],
    ],
],
'log' => [
    'traceLevel' => YII_DEBUG ? 3 : 0,
    'targets' => [
        [
            'class' => 'yii\log\FileTarget',
            'levels' => ['error', 'warning'],
        ],
    ],
],
'logger' => [
    'class' => 'app\models\Logger',
],
'db' => $db,
'dbpg' => $dbpg,
'dbpgx' => $dbpgx,
'dbbeau' => $dbbeau,
'dbpggis' => $dbpggis,
'dbzip' => $dbzip,
'dboracle' => $dboracle,
'urlManager' => [
    'enablePrettyUrl' => true,
    'showScriptName' => false,
    'rules' => [
    ],
],
'formatter' => [
    'dateFormat' => 'dd.MM.yyyy',
    'timeFormat' => 'HH:mm',
    'defaultTimeZone' => 'Europe/Berlin',
    'decimalSeparator' => ',',
    'thousandSeparator' => '',
    'currencyCode' => 'EUR',
    'nullDisplay' => '',
    'booleanFormat' => ['□', '■'],
],
```

```
        //'booleanFormat' => ['○', '●'],
    ],
],
'as beforeRequest' => [
    'class' => 'yii\filters\AccessControl',
    'rules' => [
        [
            'actions' => ['about', 'contact', 'login', 'error'],
            'allow' => true,
        ],
        [
            'allow' => true,
            'roles' => ['@'],
        ],
    ],
],
],
'params' => $params,
];

if (YII_ENV_DEV) {
    // configuration adjustments for 'dev' environment
    $config['bootstrap'][] = 'debug';
    $config['modules']['debug'] = [
        'class' => 'yii\debug\Module',
        // uncomment the following to add your IP if you are not connecting
        // from localhost.
        //'allowedIPs' => ['127.0.0.1', '::1'],
    ];

    $config['bootstrap'][] = 'gii';
    $config['modules']['gii'] = [
        'class' => 'yii\gii\Module',
        // uncomment the following to add your IP if you are not connecting
        // from localhost.
        //'allowedIPs' => ['127.0.0.1', '::1'],
    ];
}

return $config;
```

From:
<https://puma.weinhost.de/> - **EMS-Beratung**

Permanent link:
<https://puma.weinhost.de/doku.php?id=yii25:config:web>

Last update: **2024/10/09 16:57**

